

STRATEGIC PREPPERS

2027 EDITION · FREE PDF

The Ultimate Preppers Guide 2027



Life-Saving Preparedness for the Modern Era

Inside:

- The first 30 minutes, on one page
- 72-hour kit checklists you can tick off
- Water, food and power tables
- A printable family emergency plan
- Generator and carbon-monoxide safety
- Money, documents and medication

Contents

EMERGENCY QUICK REFERENCE	4
Print This Page & Keep It Accessible	4
PART I: IMMEDIATE LIFE SAFETY	6
Chapter 1: Trauma & First Aid - Skills That Save Lives	6
Chapter 2: Water - Your Most Critical Need	10
Chapter 3: Food - Sustaining Energy in Crisis	13
Chapter 4: Shelter & Temperature Control	16
PART II: HOME SECURITY & INFRASTRUCTURE	19
Chapter 5: Power Independence & Alternative Energy	19
Chapter 6: Home Security & Defense	22
PART III: DIGITAL & FINANCIAL RESILIENCE	25
Chapter 7: Digital Security & Privacy	25
Chapter 8: Financial Preparedness	27
PART IV: MINDSET & COMMUNITY	29
Chapter 9: Psychological Resilience	29
Chapter 10: Building Your Preparedness Network	31
PART V: ADVANCED SCENARIOS	33
Chapter 11: Evacuation Planning (Bug Out Strategy)	33
Chapter 12: Long-Term Scenarios (Month+ Without Services)	38
PART VI: SPECIALTY PREPAREDNESS	40

Chapter 13: Pandemic & Biological Threats	40
Chapter 14: Natural Disasters by Type	41
Chapter 15: Nuclear & Radiological Emergencies	44
PART VII: COMPREHENSIVE CHECKLISTS	46
30-Day Preparedness Challenge	46
Annual Preparedness Maintenance	48
Family Emergency Plan Template	50
CONCLUSION: YOUR JOURNEY TO RESILIENCE	54
Final Resources	56

EMERGENCY QUICK REFERENCE

Print This Page & Keep It Accessible

IMMEDIATE ACTION CHECKLIST (First 30 Minutes)

- ☐ Account for all family members/pets
- ☐ Shut off main utilities if needed (gas/water/electric)
- ☐ Establish communication method (cell, radio, messenger)
- ☐ Secure essential documents and medications
- ☐ Fill bathtubs/sinks with water immediately
- ☐ Check on neighbors, especially elderly
- ☐ Monitor emergency broadcasts (NOAA, local radio)

72-HOUR SURVIVAL PRIORITIES (The Rule of 3s)

1. **3 minutes without air** → CPR/Rescue breathing skills critical
2. **3 hours without shelter** (in extreme conditions) → Hypothermia/Heatstroke risk
3. **3 days without water** → Dehydration becomes fatal
4. **3 weeks without food** → Starvation (but functional for weeks)

EMERGENCY CONTACTS TEMPLATE

Contact	Name	Phone	Location	Status
Out-of-state Contact	—	—	—	—
Local Emergency	—	911	—	—
Poison Control	—	1-800-222-1222	—	—
Family Doctor	—	—	—	—
Neighbor 1	—	—	—	—
Neighbor 2	—	—	—	—
Workplace	—	—	—	—
School/Daycare	—	—	—	—

About the prices in this guide. Where products and costs are mentioned they are indicative ranges only, correct at the time of writing. Treat them as a guide to relative cost, not as a quote — always check current pricing before buying.

PART I: IMMEDIATE LIFE SAFETY

Chapter 1: Trauma & First Aid - Skills That Save Lives

The MARCHE Protocol (Combat/Mass Casualty Triage)

When facing multiple casualties or limited resources, follow this order:

M - Massive Hemorrhage Control (Priority 1)

- 40% of preventable trauma deaths are from bleeding
- Apply direct pressure immediately
- Use tourniquets for extremities (place 2-3 inches above wound, NOT on joint)
- Tourniquet time: Record when applied. Modern tourniquets safe for up to 6 hours
- Wound packing with hemostatic gauze for junctional wounds (armpit, groin, neck)

A - Airway Management (Priority 2)

- Check: Can they speak? Are they gasping/snoring?
- Head-tilt chin-lift (unless spinal injury suspected)
- Recovery position for unconscious but breathing patients
- Jaw thrust maneuver if spinal injury possible

R - Respiration/Breathing (Priority 3)

- Look, listen, feel for breath (max 10 seconds)
- Chest seal for sucking chest wounds (occlusive dressing, seal 3 sides)
- Needle decompression ONLY if trained (tension pneumothorax)
- Rescue breathing: 1 breath every 5-6 seconds for adults

C - Circulation & Shock (Priority 4)

- Signs: Pale skin, rapid pulse, confusion, cool extremities
- Keep patient warm (prevent hypothermia)
- Elevate legs if no spinal/leg injuries (Trendelenburg position)
- IV fluids if available and trained
- Monitor mental status (worsening = shock progressing)

H - Head Injury & Hypothermia (Priority 5)

- Concussion signs: Dizziness, nausea, memory loss, confusion
- Immobilize cervical spine if head/neck trauma suspected
- Prevent hypothermia: "Hypothermia kills in the golden hour"

E - Evacuation & Everything Else

- Document all care given (time, medications, vital signs)
- Prepare for evacuation, continue monitoring

Essential First Aid Skills Checklist

CRITICAL - Learn Before Emergency:

- ☐ CPR (Adult/Child/Infant) - 30 compressions : 2 breaths
- ☐ AED operation
- ☐ Heimlich maneuver (conscious and unconscious)
- ☐ Tourniquet application (CAT, SOF-T, SWAT-T)
- ☐ Wound packing and pressure dressing
- ☐ Splinting (SAM splints, improvised materials)
- ☐ Burn treatment (cool water, NOT ice, cover with sterile dressing)
- ☐ Hypothermia treatment (gradual warming, no alcohol)
- ☐ Heat stroke treatment (rapid cooling, ice packs to neck/armpits/groin)
- ☐ Anaphylaxis response (EpiPen, call 911 immediately)

Stop The Bleed Kit - Build Your Own

Commercial Option: ~\$50-100

DIY Version: ~\$25-40

Components:

1. **CAT Gen 7 Tourniquet** (\$30) or **SOFTT-W** (\$35) - Get ONE quality tourniquet
2. **QuikClot or Celox Gauze** (\$20) - Hemostatic dressing
3. **Israeli/Emergency Bandage (4" or 6")** (\$8) - Pressure dressing
4. **Compressed Gauze (2-3 rolls)** (\$3 each) - Wound packing
5. **Nitrile Gloves** (\$5/box) - Infection control
6. **Permanent Marker** (\$2) - Record tourniquet time
7. **Trauma Shears** (\$8) - Cut clothing quickly
8. **Chest Seal (2-pack)** (\$15) - Ventilated seals preferred

Storage: Vacuum-seal in small pouch, keep in car, home, go-bag

Training: FREE - stopthebleed.org offers online and in-person courses

Home First Aid Inventory Checklist

Basic Supplies:

- ☐ Adhesive bandages (multiple sizes, 100+ count)
- ☐ Sterile gauze pads (2x2, 4x4, 8x10 - 20+ each)
- ☐ Gauze rolls (2", 3", 4" - 6+ each)
- ☐ Medical tape (hypoallergenic, waterproof)
- ☐ Elastic bandages (ACE wraps, 2", 3", 4")
- ☐ Triangular bandages (cravats, 4+)
- ☐ Alcohol pads (100+)
- ☐ Antibiotic ointment (Neosporin, Bacitracin)
- ☐ Hydrocortisone cream (itch/allergic reactions)
- ☐ Burn gel/jelly (water-based)
- ☐ Instant cold packs (10+)
- ☐ Eye wash solution (saline)
- ☐ Thermometer (digital, non-contact preferred)
- ☐ Tweezers (fine-point for splinters)
- ☐ Scissors (blunt-tip medical shears)
- ☐ Safety pins (multiple sizes)
- ☐ CPR face shield/mask
- ☐ Emergency blanket (mylar, 4+)
- ☐ Hand sanitizer (60%+ alcohol)
- ☐ Disposable gloves (nitrile, multiple sizes, 100+)

Medications (Rotate stock every 12-18 months):

- ☐ Acetaminophen (Tylenol) - fever/pain
- ☐ Ibuprofen (Advil/Motrin) - inflammation/pain
- ☐ Aspirin (81mg chewable) - heart attack/chest pain
- ☐ Diphenhydramine (Benadryl) - allergic reactions
- ☐ Loperamide (Imodium) - diarrhea
- ☐ Bismuth subsalicylate (Pepto-Bismol) - stomach upset
- ☐ Meclizine (Dramamine) - motion sickness
- ☐ Hydrogen peroxide (3%, wound cleaning)

- ☐ Isopropyl alcohol (70%, disinfection)
 - ☐ Saline solution (wound/eye wash)
 - ☐ Electrolyte powder/packets (Pedialyte, Liquid IV)
 - ☐ Glucose tablets/gel (diabetic emergencies)
 - ☐ Prescription medications (30+ day supply minimum)
 - ☐ EpiPens (if prescribed/allergies)
 - ☐ Inhalers (if prescribed/asthma)
 - ☐ Nitroglycerin (if prescribed/heart condition)
-

Chapter 2: Water - Your Most Critical Need

Water Storage Calculator

Minimum: 1 gallon per person per day

Recommended: 3 gallons per person per day (allows hygiene + cooking)

Family Size	3-Day Supply	2-Week Supply	1-Month Supply
1 person	3 gallons	21 gallons	90 gallons
2 people	6 gallons	42 gallons	180 gallons
4 people	12 gallons	84 gallons	360 gallons
6 people	18 gallons	126 gallons	540 gallons

Storage Container Options:

- **Commercial water jugs:** \$10-20 for 5-7 gallons, food-grade plastic
- **55-gallon drums:** \$60-100, best for long-term storage
- **Water bricks:** \$20 each (3.5 gal), stackable
- **Bathtub bladder:** \$25, stores 100 gallons in tub
- **Case of bottled water:** \$5-8 for 24-40 bottles, easy rotation

Emergency Water Sources in Your Home

When crisis hits, immediately collect from:

1. **Water heater** - 40-80 gallons of potable water
 - Turn off power/gas first
 - Drain from bottom valve
 - Let water cool before opening
2. **Toilet tank** (NOT bowl) - 1.6-5 gallons, potable if no cleaners used
3. **Ice cubes** - Melt, usually 2-5 pounds in freezer
4. **Canned goods** - Liquid from vegetables, fruits (also nutrition)
5. **Swimming pool/hot tub** - Non-potable, use for hygiene only

Water Treatment Methods - From Worst to Best

Boiling (Most Reliable)

- Bring to rolling boil for 1 minute (3 minutes above 6,500 ft elevation)
- Kills bacteria, viruses, parasites

- Does NOT remove chemicals, heavy metals, or sediment
- Let cool before drinking, improves taste with aeration (pour between containers)

Chlorine Bleach Disinfection

- Use ONLY unscented, regular household bleach (5-6% sodium hypochlorite)
- 8 drops per gallon of clear water, 16 drops if cloudy
- Stir and wait 30 minutes
- Should have slight chlorine smell. If not, repeat.
- Does NOT kill all parasites (Giardia, Cryptosporidium)

Water Purification Tablets

- Follow package directions exactly
- Usually 1-2 tablets per liter/quart
- Wait time: 30 minutes to 4 hours depending on product
- Good backup, but bulky for large quantities

Portable Water Filters (Hiking/Portable)

- **LifeStraw Personal:** \$20, filters 1,000 gallons, 0.2 micron
- **Sawyer Mini:** \$25, filters 100,000 gallons, 0.1 micron
- **Katadyn BeFree:** \$45, 0.1 micron, easiest to use
- Remove bacteria and parasites
- Do NOT remove viruses (need 0.01 micron or chemical treatment)

Gravity Water Filters (Home/Group)

- **Berkey Systems:** \$300-600, 0.01 micron optional, best for home
- **Alexapure:** \$280, similar performance to Berkey
- **Propur:** \$200-300, good mid-range option
- Filter 2,000-6,000 gallons depending on model
- Remove bacteria, parasites, some chemicals, heavy metals
- Must be kept from freezing (damages filters)

Dangerous Water Sources to Avoid

- Flood water (chemical/contaminant soup)
- Water with dead animals nearby
- Stagnant water with algae/scum
- Radioactive fallout-contaminated water

- Water near industrial sites without proper filtration
-

Chapter 3: Food - Sustaining Energy in Crisis

The 2,000 Calorie Emergency Diet

During stress/crisis, you need MORE calories, not less:

- **Sedentary adults:** 2,000-2,400 calories/day
- **Active adults:** 2,800-3,200 calories/day
- **Children (4-8):** 1,400-1,800 calories/day
- **Teens:** 2,200-2,800 calories/day

Building a 30-Day Food Supply

Strategy: Gradual buildup, \$5-10/week

Week 1-2: Basics (\$20)

- Rice: 20 lbs (long grain white stores 30+ years)
- Dried beans: 10 lbs (pinto, black, kidney)
- Oats: 5 lbs (steel-cut or rolled)
- Pasta: 5 lbs
- Salt: 2 lbs

Week 3-4: Protein & Fats (\$30)

- Canned tuna/chicken: 20 cans
- Peanut butter: 4 large jars
- Canned beans: 20 cans
- Cooking oil: 2 gallons (olive, coconut, avocado)
- Nuts: 5 lbs (almonds, cashews)

Week 5-6: Nutrition & Variety (\$25)

- Canned vegetables: 20 cans
- Canned fruits: 10 cans
- Powdered milk: 2 boxes
- Honey: 2 lbs
- Spices/seasonings (salt, pepper, garlic, bouillon)

Week 7-8: Comfort & Calories (\$25)

- Granola bars/protein bars (2 boxes)
- Instant coffee/tea

- Chocolate/candy (morale boost)
- Crackers/cookies
- Multivitamins (90-day supply)

Total Investment: ~\$100 for 30-day basic supply for 1 person

Long-Term Food Storage (5-30 Years)

Best Options:

1. **Rice & Dried Beans** - 30+ years if stored properly
2. **Wheat Berries** - 30+ years, grind as needed
3. **Freeze-Dried Meats** - 25-30 years (Mountain House, Augason)
4. **Powdered Milk** - 20+ years (non-fat stores longest)
5. **Salt & Sugar** - Indefinite (sugar hardens but still usable)
6. **Honey** - Indefinite (crystallizes but never spoils)

Storage Conditions (Critical!):

- Temperature: 50-70°F (cooler = longer life)
- Humidity: Below 15%
- Darkness: No direct sunlight
- Oxygen: Use oxygen absorbers in sealed containers
- Pests: Use food-grade buckets with gamma seal lids

Emergency Cooking Methods (No Power/Gas)

1. Butane Stove (Best for indoors)

- Cost: \$25-40
- Fuel: \$2-3 per can (lasts 2-3 hours)
- Pros: Safe for indoor use, portable, efficient
- Cons: Fuel dependency, limited heat
- Models: Iwatani, GasOne, Coleman

2. Propane Camp Stove (Best for outdoors)

- Cost: \$40-100
- Fuel: \$5-7 per 1lb bottle, \$20-40 for 20lb tank
- Pros: High heat, reliable, widely available fuel
- Cons: CO risk indoors, bulky
- Models: Coleman Classic, Camp Chef Everest

3. Alcohol Stove (Ultra-portable)

- Cost: \$10-30 (or DIY for \$5)
- Fuel: Denatured alcohol, HEET (gas-line antifreeze)
- Pros: Lightest option, fuel easy to store
- Cons: Slower cooking, smaller flame
- DIY: Soda can stove (YouTube tutorials)

4. Solar Oven (Free fuel)

- Cost: \$50-300
- Fuel: Sunlight only
- Pros: Free fuel, no fire risk, pasteurizes water
- Cons: Weather dependent, slow (2-4x normal cooking time)
- Models: All American Sun Oven, GoSun, DIY cardboard

5. Rocket Stove (Wood fuel)

- Cost: \$50-150 (or DIY from bricks/cans)
- Fuel: Twigs, sticks, biomass
- Pros: Very efficient (uses minimal wood), hot flame
- Cons: Smoke, fire risk, requires dry fuel
- Models: EcoZoom, StoveTec, DIY cinder block

Cooking Without Power - Safety Rules

- **Never use charcoal or gas grills indoors** (CO poisoning deaths spike in outages)
- Keep fire extinguisher or baking soda nearby
- Ensure adequate ventilation
- Keep children/pets away from cooking area
- Turn off fuel when finished (check twice)

Chapter 4: Shelter & Temperature Control

The Shelter Hierarchy

Priority depends on climate and season:

1. **Existing Structure** (Home, basement, interior rooms)
 - Best option, maintain if safe
 - Stay in interior rooms away from windows during storms
 - Basements best for tornadoes, NOT floods
2. **Vehicle** (Temporary/Short-term)
 - Better than exposure, worse than structure
 - Run engine 10 min/hour for heat (check exhaust clear)
 - Crack window to prevent CO buildup
 - Sleep in thermal bags with hand warmers
3. **Tarp/Plastic Sheeting Shelter** (Emergency)
 - 10x10 tarp + paracord = instant shelter
 - Reflective tarps face inward for warmth
 - Elevate sleeping area if ground is wet/cold
4. **Natural Shelter** (Last resort)
 - Caves, overhangs, dense vegetation
 - Check for animal occupation first
 - Build debris hut in cold weather (insulation layer 6-8 inches thick)

Cold Weather Survival (Hypothermia Prevention)

Hypothermia Signs:

- Shivering (early stage)
- Confusion, slurred speech
- Drowsiness, clumsiness
- Weak pulse, shallow breathing
- Paradoxical sensation of warmth (remove clothes - CRITICAL WARNING SIGN)

Treatment:

- Move to warm, dry shelter
- Remove wet clothing
- Warm center of body first (chest, neck, head, groin)
- Skin-to-skin contact under blankets
- Warm (not hot) beverages if conscious

- NEVER alcohol, NEVER rapid warming (causes cardiac arrest)
- CALL 911 - Hypothermia is life-threatening

Cold Weather Clothing Layers:

1. **Base layer:** Moisture-wicking synthetic or wool (NOT cotton)
2. **Insulation layer:** Fleece, down, or wool (traps heat)
3. **Outer layer:** Wind/waterproof shell (blocks elements)
4. **Extremities:** Wool socks, waterproof boots, insulated gloves, warm hat (60% heat lost through head)

Heat Emergency Survival (Hyperthermia/Heat Stroke)

Heat Stroke Signs (MEDICAL EMERGENCY):

- Body temp above 103°F
- Hot, red, dry skin (no sweating)
- Rapid, strong pulse
- Throbbing headache
- Dizziness, nausea
- Confusion, unconsciousness

Treatment (Cool First, Transport Second):

- Call 911 immediately
- Move to shade/air conditioning
- Remove excess clothing
- Cool rapidly with ice packs to neck, armpits, groin
- Immerse in cool water if available (ice bath if possible)
- Fan while wetting skin
- Give cool water if conscious and able to drink
- **Do NOT give salt tablets, do NOT give fever reducers**

Heat Exhaustion Signs (Pre-Stroke):

- Heavy sweating
- Cool, pale, clammy skin
- Muscle cramps
- Fatigue, weakness
- Nausea

Treatment:

- Move to cool area
- Loosen clothing
- Apply cool, wet cloths
- Sip water slowly
- If vomiting or symptoms worsen, treat as heat stroke

Emergency Insulation Techniques

Low-Tech Solutions:

- **Newspaper insulation:** Crumple and stuff in clothing
 - **Bubble wrap:** Creates air pockets, excellent insulator
 - **Dry leaves/grass:** Stuff in clothing or under sleeping area
 - **Cardboard:** Under sleeping area blocks ground cold
 - **Emergency blankets:** Reflect 90% body heat back
 - **Hand/feet warmers:** Chemical packets (activate when exposed to air)
-

PART II: HOME SECURITY & INFRASTRUCTURE

Chapter 5: Power Independence & Alternative Energy

Understanding Your Power Needs

Critical Load Calculation Worksheet:

Device	Watts	Hours/Day	Watt-Hours/Day
Refrigerator	150	8 (runs intermittently)	1,200
LED Lights (4)	40	5	200
Phone charging	10	3	30
Router/Modem	20	24	480
CPAP Machine	60	8	480
Laptop	50	4	200
Fan	75	8	600
Radio	10	4	40
TOTAL			**3,230 Wh/day**

Goal: Size your backup system for 3-7 days of critical loads

Example: 3,230 Wh/day × 3 days = 9,690 Wh capacity needed

Portable Power Station Comparison 2027

Model	Capacity	Output	Price	Best For
EcoFlow River 2	256Wh	600W	\$239	Day trips, phones
Jackery Explorer 500	518Wh	500W	\$499	Short outages
Bluetti EB55	537Wh	700W	\$499	CPAP, small appliances
EcoFlow Delta 2	1024Wh	1800W	\$999	Home backup, refrigerator
Jackery Explorer 2000	2160Wh	2200W	\$1,999	Extended outages
Bluetti AC200MAX	2048Wh	2200W	\$1,899	Whole home, expandable

Solar Panel Sizing

Rule of thumb: 2-3 hours of full sun needed to recharge daily use

Panel Options:

- **100W rigid panel:** \$80-120, roof mounting
- **100W foldable:** \$150-250, portable, easier setup
- **200W portable kit:** \$300-400, good for power stations
- **400W array:** \$600-800, serious home backup

Real-World Performance:

- 100W panel produces ~400-600Wh on sunny day
- Cloudy days: 10-30% of rated output
- Winter: 50-70% of summer output (shorter days, lower sun angle)

Generator Options & Safety

Portable Generators (Gasoline/Propane):

- **Honda EU2200i:** \$1,100, quietest (48-57 dB), 2200W, 8hr runtime
- **Champion 2500W:** \$650, dual fuel (gas/propane), budget option
- **Westinghouse iGen4500:** \$1,000, 4500W, electric start, 18hr runtime

Safety Rules:

- NEVER run in garage/basement/enclosed space (CO kills)
- Keep 20 feet from house (exhaust fumes)
- Store fuel safely, rotate every 6-12 months (add stabilizer)
- Use heavy-duty extension cords (14-gauge minimum)
- Allow cool-down before refueling (fire risk)

Battery Maintenance for Longevity

LiFePO4 Batteries (Best for 2027):

- Store at 50-80% charge (not 100%)
- Keep in temperature-controlled environment (40-80°F)
- Use manufacturer charger
- Can handle 3000-5000+ cycles

Lead-Acid Batteries (Traditional):

- Keep fully charged
- Check water levels monthly (distilled water only)
- Clean terminals with baking soda/water
- 500-800 cycle life typically

Chapter 6: Home Security & Defense

Hardening Your Home - Layered Defense

Layer 1: Perimeter (Deterrence)

- Motion-sensor lighting (solar-powered options available)
- Thorny bushes under windows (roses, holly, barberry)
- Gravel walkways (noise alerts you to approach)
- "Beware of Dog" signs (even if no dog)
- Visible security cameras (fake ones work for deterrence)

Layer 2: Entry Points (Delay)

- **Doors:** Solid core or metal, 3-inch screws in hinges/strike plate
- **Deadbolts:** Grade 1 or 2, minimum 1-inch throw
- **Door jamb reinforcement:** Door Armor Max (\$80), prevents kick-ins
- **Windows:** Security film (\$10-20/window), harder to break
- **Sliding doors:** Dowel in track + security pin
- **Garage:** Lock interior door, secure emergency release

Layer 3: Interior (Detection & Response)

- Door/window alarms (\$5-10 each, battery powered)
- Safe room with reinforced door
- Security system (Ring, SimpliSafe - cellular backup critical)
- Flashlights in every room
- Fire extinguisher on every floor

Emergency Communication Plan

Family Communication Protocol:

1. Out-of-State Contact

- Everyone calls one person outside disaster zone
- Easier to call out than within affected area
- Relieves local phone network congestion

2. Text vs. Call

- Text messages often go through when calls fail
- Use SMS, not internet-based apps (WhatsApp, etc.)

- "I'm OK" messages to group reduce network load

3. Alternative Communication

- **Two-way radios:** Midland GXT1000 (\$60/pair), 36-mile range
- **Ham radio:** Requires license, but works when all else fails
- **Mesh networks:** goTenna (\$150/pair), text without cell service
- **Satellite communicator:** Garmin inReach (\$350 + subscription), anywhere on Earth

4. Emergency Information Document

Create physical copies for each family member:

- Meeting locations (near home, outside neighborhood, out-of-town)
- All contact numbers (lamine or waterproof)
- Medical information/allergies
- Insurance policy numbers
- Bank account info
- Birth certificates/IDs (copies)

Fire Safety & Prevention

Smoke/Carbon Monoxide Detectors:

- Install on every level, in every bedroom
- Test monthly, replace batteries yearly
- Replace units every 10 years (smoke), 5-7 years (CO)
- Interconnected units (one alarm triggers all)

Fire Extinguishers (PASS Method):

- **P**ull the pin
- **A**im at base of fire
- **S**queeze the handle
- **S**weep side to side

Placement:

- Kitchen: Class K or ABC extinguisher
- Garage/Workshop: ABC extinguisher
- Bedroom hallways: ABC extinguisher
- Each floor: Minimum one

Escape Planning:

- Two exits from every room
 - Practice fire drills 2x per year (day and night)
 - Designate meeting spot outside
 - "Get out, stay out" - never re-enter
 - If door is hot, use window
-

PART III: DIGITAL & FINANCIAL RESILIENCE

Chapter 7: Digital Security & Privacy

Securing Your Digital Identity

Password Management:

- Use password manager (Bitwarden, 1Password, KeePass)
- Unique password for every account
- 16+ characters, mix of letters/numbers/symbols
- Enable 2FA on all critical accounts (use authenticator app, not SMS)

Critical Accounts to Secure:

- Email (gateway to everything)
- Bank/financial accounts
- Investment accounts
- Health insurance portals
- Utilities (can be used for identity theft)

Data Backup Strategy (3-2-1 Rule)

- **3** copies of important data
- **2** different media types (hard drive, cloud, USB)
- **1** copy offsite (cloud, safety deposit box)

Critical Documents to Digitize:

- Driver's licenses/IDs
- Passports
- Birth certificates
- Marriage certificates
- Social security cards
- Insurance policies
- Medical records
- Property deeds/titles
- Bank account info

- Emergency contacts

Offline Storage Options:

- Encrypted USB drives (VeraCrypt software, free)
- Fireproof/waterproof document safe
- Safety deposit box at bank
- Trusted family member in different location

Communication During Network Outages

Offline Maps & Data:

- Download Google Maps offline for your region
- Download Wikipedia offline (Kiwix app)
- First aid apps with offline content
- Survival manual apps

Mesh Networking:

- **Meshtastic:** Open-source, long-range text messaging
 - **goTenna:** Consumer mesh device, 1-4 mile range
 - Works without internet/cell service
 - Each device extends the network
 - Encrypted communication
-

Chapter 8: Financial Preparedness

Cash Reserves

Emergency Cash Fund:

- Minimum: \$500 in small bills (\$1, \$5, \$10, \$20)
- Recommended: \$1,000-2,000
- Purpose: ATMs/credit cards may not work in disasters
- Store in fireproof safe, split between home and BOB

Denominations to Stock:

- \$1 bills: 50 (\$50) - small purchases, exact change
- \$5 bills: 40 (\$200) - common transactions
- \$10 bills: 30 (\$300) - groceries, gas
- \$20 bills: 25 (\$500) - larger purchases
- Total: \$1,050 in varied denominations

Financial Document Protection

Important Documents (Originals in fireproof safe):

- Birth certificates
- Marriage/divorce certificates
- Social Security cards
- Passports
- Wills/trusts/power of attorney
- Vehicle titles
- Property deeds
- Insurance policies (life, home, auto, health)
- Stock certificates/bonds
- Military service records

Digital Backups:

- Scan everything
- Store in encrypted cloud storage (pCloud, Sync.com)
- Physical backup on encrypted USB

Barter & Alternative Currency

Items that become valuable in prolonged crises:

- **Ammunition:** .22 LR, 9mm, 12 gauge (most common)
 - **Alcohol:** Small bottles of liquor (trading size)
 - **Cigarettes:** Even if you don't smoke
 - **Food:** Salt, sugar, coffee, spices
 - **Medicine:** Pain relievers, antibiotics, first aid supplies
 - **Skills:** Medical knowledge, mechanical repair, construction
 - **Batteries:** AA, AAA (most common sizes)
 - **Propane:** 1lb bottles for camping stoves
 - **Water purification:** Tablets, filters
 - **Hygiene:** Toilet paper, soap, feminine products
-

PART IV: MINDSET & COMMUNITY

Chapter 9: Psychological Resilience

Stress Response Management

Box Breathing (Navy SEAL technique):

1. Inhale for 4 seconds
2. Hold for 4 seconds
3. Exhale for 4 seconds
4. Hold for 4 seconds
5. Repeat for 5 minutes

Use before decisions during crisis.

Grounding Techniques (For Panic/Overwhelm):

- 5-4-3-2-1 method: Name 5 things you see, 4 you hear, 3 you can touch, 2 you smell, 1 you taste
- Cold water on wrists/face (activates dive reflex)
- Physical movement (walk, stretch)
- Focus on controllable tasks

Maintaining Morale in Extended Crisis

Routines Matter:

- Keep regular meal times
- Maintain hygiene (shower when possible, change clothes)
- Exercise daily (even 10 minutes)
- Sleep on schedule (melatonin if needed)
- Personal time/space (even in crowded conditions)

Group Dynamics:

- Assign clear roles/responsibilities
- Regular check-ins on mental state
- Shared tasks build cohesion
- Celebrate small victories

- Humor (appropriate) relieves tension
- Prayer/meditation/practices

Children in Crisis

Age-Appropriate Information:

- Be honest but calm
- Explain what's being done to stay safe
- Give them specific tasks (empowerment)
- Maintain routines as much as possible
- Extra physical affection
- Limit exposure to traumatic media

Emergency Kit for Kids:

- Comfort item (stuffed animal, blanket)
 - Non-perishable snacks
 - Water bottle
 - Change of clothes
 - Coloring books/crayons (distraction)
 - Small games/cards
 - Photos of family/pets
-

Chapter 10: Building Your Preparedness Network

The Preparedness Circle

Core Group: 3-5 Trusted Households

Why Groups Survive Better:

- 24/7 security coverage (sleep in shifts)
- Skill/resource pooling
- Emotional support
- Division of labor
- Medical assistance
- Multiple income/equipment sources

Selecting Members:

- Pre-existing trust (friends, family, neighbors)
- Complementary skills (medical, mechanical, security, growing food)
- Compatible values/politics
- Proximity (walking distance preferred)
- Commitment level matches yours

Skill Inventory Template:

Skill	Person 1	Person 2	Person 3	Gap?
-----	-----	-----	-----	-----
Medical/First Aid				
Security/Defense				
Mechanical Repair				
Construction/Woodwork				
Food Preservation				
Gardening/Farming				
Communication/Radio				
Hunting/Fishing				
Childcare				

Community Engagement (Without Being "That Guy")

Subtle Preparedness:

- Be known as helpful neighbor
- Share homegrown food/skill knowledge

- Participate in neighborhood watch
- Attend community meetings
- Know local officials/emergency responders
- Volunteer for CERT (Community Emergency Response Team)

OpSec (Operational Security):

- Don't advertise full prep level on social media
 - Use generic terms ("camping gear" vs. "bug out bag")
 - Share knowledge, not inventory lists
 - Be the gray man - blend in
-

PART V: ADVANCED SCENARIOS

Chapter 11: Evacuation Planning (Bug Out Strategy)

When to Stay vs. When to Go

STAY (Shelter in Place) When:

- Safer inside than traveling
- Roads impassable/unsafe
- Pandemic/contamination outside
- Civil unrest blocking exits
- You have supplies for duration
- Threat is temporary (storm passes in hours)

GO (Evacuate) When:

- Ordered by authorities (wildfire, flood, hurricane)
- Supplies exhausted/safety compromised
- Medical emergency requiring care
- Structural damage to home
- Long-term grid down (no water/sewer)
- Violence imminent

The 5 P's of Evacuation

1. **People** - Family, pets, elderly neighbors
2. **Papers** - Documents, IDs, insurance, cash
3. **Pills** - Medications, prescriptions, glasses
4. **Personal** - Irreplaceable items (photos, heirlooms)
5. **Pets** - Food, carriers, leashes, vaccination records

Bug Out Bag (72-Hour Kit) - Complete List

Shelter & Warmth:

- ☐ Tent or tarp shelter
- ☐ Sleeping bag (rated for coldest expected temp)
- ☐ Sleeping pad (insulation from ground)

- ☐ Mylar emergency blanket (2)
- ☐ Warm hat and gloves
- ☐ Extra socks (wool, 3 pairs)
- ☐ Rain poncho/gear
- ☐ Paracord (50 feet)
- ☐ Duct tape (10 yards)

Water (3 gallons/day goal, but weight matters):

- ☐ Water bottles (2-3 liters carried)
- ☐ Water filter (Sawyer Mini or LifeStraw)
- ☐ Purification tablets (backup)
- ☐ Metal container for boiling
- ☐ Collapsible water bottle

Food (3,000+ calories/day, no-cook options):

- ☐ Energy/protein bars (6-10)
- ☐ Trail mix/nuts (1 lb)
- ☐ Jerky/dried meat (0.5 lb)
- ☐ Peanut butter packets (10)
- ☐ Crackers/tuna packets
- ☐ Electrolyte powder
- ☐ Multivitamins (7-day pack)
- ☐ Candy/gum (morale)

First Aid & Hygiene:

- ☐ First aid kit (comprehensive)
- ☐ Prescription medications (7-day supply)
- ☐ Pain relievers (ibuprofen, acetaminophen)
- ☐ Antidiarrheal (Imodium)
- ☐ Antihistamine (Benadryl)
- ☐ Personal hygiene items
- ☐ Toilet paper (small pack)
- ☐ Wet wipes (biodegradable)
- ☐ Hand sanitizer
- ☐ N95 masks (2)

- ☐ Emergency dental kit

Tools & Navigation:

- ☐ Multi-tool or knife
- ☐ Fixed-blade knife
- ☐ Flashlight (LED, 200+ lumens)
- ☐ Headlamp (hands-free)
- ☐ Extra batteries (AA/AAA)
- ☐ Solar/crank radio (NOAA weather)
- ☐ Compass (learn to use it)
- ☐ Local maps (paper, waterproofed)
- ☐ Whistle (rescue signaling)
- ☐ Signal mirror
- ☐ Fire starter (ferro rod + waterproof matches)
- ☐ Glow sticks (chemical light)

Communication & Power:

- ☐ Cell phone + portable charger (10,000+ mAh)
- ☐ Solar panel (portable, 10-20W)
- ☐ Two-way radios (pre-programmed with family)
- ☐ Emergency contact list (laminated)
- ☐ Cash (\$200-500 in small bills)
- ☐ Credit/debit cards

Documents (Waterproof container):

- ☐ Copies of IDs
- ☐ Insurance cards/info
- ☐ Bank account numbers
- ☐ Emergency contacts
- ☐ Medication list
- ☐ Map with routes marked

Clothing:

- ☐ Sturdy boots (broken in)
- ☐ Change of clothes (moisture-wicking)
- ☐ Underwear (3 pairs)

- ☐ Bandana (multiple uses)
- ☐ Sunglasses

Bag Specifications:

- **Type:** Internal frame backpack (hiking style)
- **Size:** 40-65 liters
- **Weight Goal:** Maximum 25% of body weight (aim for 20% or less)
- **Features:** Hip belt (transfers weight), multiple compartments, water-resistant

Recommended Bags:

- **5.11 Rush 72:** \$200, 55L, tactical features
- **Osprey Atmos AG 65:** \$270, 65L, most comfortable
- **REI Co-op Trail 40:** \$149, 40L, budget-friendly
- **Mystery Ranch 2-Day Assault:** \$225, 27L, bombproof

Vehicle Emergency Kit

Every Vehicle Should Have:

- Jumper cables or jump starter
- Spare tire (checked monthly), jack, lug wrench
- Tire repair kit/plug kit
- Air compressor (12V)
- Tow strap (rated for vehicle weight)
- Fire extinguisher
- Flashlight/headlamp
- Work gloves
- Basic tool kit
- Duct tape, zip ties, hose clamps
- Oil, coolant, transmission fluid
- Paper towels, shop rags
- Cat litter or sand (traction)
- Ice scraper/snow brush
- Blankets/sleeping bag
- Water (gallon)
- Non-perishable snacks
- First aid kit

- Road flares or reflective triangles
 - Window breaker/seatbelt cutter
 - Cash stash (\$100-200)
-

Chapter 12: Long-Term Scenarios (Month+ Without Services)

Extended Food Production

Victory Garden Basics (Feed 1 person on 1,000 sq ft):

- **Calorie crops:** Potatoes, sweet potatoes, winter squash, corn, beans
- **Nutrient crops:** Leafy greens, tomatoes, peppers, carrots
- **Season extension:** Cold frames, hoop houses, row covers
- **Preservation:** Canning, dehydrating, root cellaring

Small Livestock (Urban/Suburban):

- **Rabbits:** Quiet, 4-6 lbs meat per rabbit, reproduce quickly
- **Quail:** Minimal space, 1 egg/day, 6 weeks to harvest
- **Chickens:** Eggs + meat, check local ordinances
- **Fish:** Aquaponics systems, tilapia/barramundi

Sanitation Without Sewer

Toilet Options (Ranked by preference):

1. Bucket Toilet with Bags (Easiest)

- 5-gallon bucket + heavy-duty contractor bags
- Add sawdust, cat litter, or peat moss after each use
- Seal bags when full, store for collection/composting
- Cost: \$30 setup

2. Composting Toilet (Best long-term)

- Separates liquid/solid waste
- Solids mixed with peat/coconut coir
- 3-6 months composting kills pathogens
- Sun-Mar, Nature's Head brands (\$800-1,000)

3. Latrine (Remote/off-grid)

- Dig hole 1 foot wide, 2-3 feet deep, 200+ feet from water
- Line with lime or ash after each use
- Fill with soil when 1 foot from top
- Move location every week

Greywater Disposal:

- Sink/shower water can water plants (biodegradable soap only)
- Dig pit 2 feet deep for disposal

- Keep 100+ feet from wells/water sources
- Add mulch/biomass to absorb

Long-Term Water Solutions

Rainwater Harvesting:

- 1 inch of rain on 1,000 sq ft roof = 623 gallons
- Storage: IBC totes (\$50-100), 55-gallon drums (\$20), cisterns (\$500+)
- First-flush diverter (removes roof contaminants)
- Filtration before drinking (gravity filter minimum)

Well Water:

- Manual pump options: Simple Pump, Bison Pump
 - Solar pump systems (submersible + solar panels)
 - Generator backup for electric pump
 - Test water annually for contaminants
-

PART VI: SPECIALTY PREPAREDNESS

Chapter 13: Pandemic & Biological Threats

Pandemic Preparedness (Lessons from COVID-19)

Before It Happens:

- N95/KN95 masks (20+ per person)
- Nitrile gloves (boxes of 100)
- Hand sanitizer (60%+ alcohol, several bottles)
- Disinfectants (bleach, Lysol)
- Thermometers (non-contact infrared)
- Pulse oximeter (oxygen saturation monitor)
- 90-day medication supply
- Home workout equipment (gym closures)

During Pandemic:

- Limit public exposure
- Strengthen immune system (sleep, nutrition, vitamin D)
- Maintain social connection (phone/video)
- Prepare for supply chain disruptions
- Mental health support (isolation is hard)

Quarantine Setup

Isolation Room Setup:

- Separate bedroom with bathroom if possible
- HEPA air purifier
- Dedicated cleaning supplies
- Disposable plates/utensils or dedicated set
- Communication method (phone/tablet)
- Entertainment (books, tablet)
- Medical monitoring supplies

Chapter 14: Natural Disasters by Type

Hurricane/Coastal Storm Preparedness

Timeline:

- **96 hours out:** Monitor, gather supplies, fuel vehicles
- **72 hours out:** Secure outdoor items, board windows
- **48 hours out:** Fill bathtub/water containers, charge devices
- **24 hours out:** Evacuation decision, final preparations
- **12 hours out:** Shelter in place or evacuate (roads close)

Key Supplies:

- Plywood/shutters for windows
- Sandbags (doorways, garage)
- Generator + fuel
- Cash (ATMs may not work)
- Water (fill everything)
- Battery-powered fans (aftermath is hot)

Earthquake Preparedness

Before:

- Secure heavy furniture to walls (TVs, bookcases)
- Strap water heater to studs
- Know gas/water shutoff locations
- "QuakeHold" putty for breakables
- Emergency supplies in multiple locations (house may be inaccessible)

During:

- Drop, cover, hold on
- Interior walls away from windows
- Door frame is NOT safest place (myth)
- If outside: Away from buildings, power lines, trees
- If driving: Pull over, stay in car

After:

- Check for injuries

- Expect aftershocks
- Check gas leaks (shut off if smell)
- Listen to battery radio
- Use text, not voice calls

Wildfire Preparedness

Defensible Space Zones:

- **Zone 0 (0-5 feet):** No combustibles (gravel/concrete, no mulch, no wood)
- **Zone 1 (5-30 feet):** Minimal vegetation, irrigated plants, no firewood storage
- **Zone 2 (30-100 feet):** Grass mowed, trees pruned (10 feet between crowns)

Go-Bag Additions for Wildfire:

- N95 masks (smoke protection)
- Fire extinguisher (small)
- Important documents (fireproof box grab)
- Wool blanket (fire-resistant)
- Long sleeves/pants (cotton/wool, NOT synthetic)
- Map with multiple evacuation routes

Winter Storm/Blizzard

Home Preparations:

- Insulate pipes (prevent freezing)
- Alternative heat source (NOT generator indoors)
- Carbon monoxide detectors (tested)
- Flashlights in every room
- Rock salt/sand for ice
- Snow shovels (multiple)
- Board games/cards (entertainment)

Vehicle Kit Additions:

- Wool blankets (2)
- Hand warmers (20+)
- High-calorie food (energy bars)
- Candle + metal can (heat in car)
- Bright cloth (flag for rescue)

- Shovel
- Cat litter (traction)
- Ice scraper
- Jumper cables

Tornado Preparedness

Warning Signs:

- Dark/greenish sky
- Large hail
- Loud roar (like freight train)
- Cloud of debris (even if no funnel visible)

Shelter Locations:

- **Best:** Basement, underground storm shelter
 - **Good:** Interior room on lowest floor, no windows
 - **Avoid:** Windows, doors, mobile homes, large open rooms (gym, auditorium)
 - **If caught outside:** Lie flat in ditch/low spot, protect head
 - **In vehicle:** Drive at right angles to tornado path or abandon and shelter in ditch
-

Chapter 15: Nuclear & Radiological Emergencies

This chapter is included for completeness. For most households the practical steps below are identical to general shelter-in-place advice, and local authorities will broadcast specific instructions if a radiological incident ever occurs. The short version: get inside, stay inside, stay tuned.

Nuclear Explosion Preparedness

Immediate Actions (First Hour):

1. **Get inside** - Any building is better than outside
2. **Stay inside** - 24-48 hours minimum (fallout radiation decays rapidly)
3. **Stay tuned** - Battery radio for updates
4. **Decontaminate** - Remove outer clothing, shower if possible

Shelter Selection:

- **Best:** Basement or interior room of multi-story brick/concrete building
- **Avoid:** Top floors, outer rooms, lightweight structures
- **Seal room:** Duct tape plastic over windows, close vents (temporary)

Potassium Iodide (KI):

- Only protects thyroid from radioactive iodine
- Take within 4 hours of exposure
- 130mg for adults, 65mg for children 3-18, 32mg for 1-3 years
- Not needed if evacuating immediately upwind

Supplies for Nuclear Shelter:

- 3+ days water and food
- Battery radio
- Plastic sheeting and duct tape
- Sanitation supplies
- First aid kit
- Pet supplies
- Entertainment
- Radiation detector (Geiger counter, dosimeter) if available

Dirty Bomb (Radiological Dispersal Device)

Characteristics:

- Conventional explosive spreading radioactive material
- A blast causes harm only close to the detonation; the fallout hazard is localised and manageable
- Most dangerous near explosion site
- Contamination can be washed off

Response:

- Cover nose/mouth (mask/cloth)
 - Move away from explosion site (upwind if possible)
 - Remove contaminated clothing (seal in bag)
 - Shower thoroughly with soap
 - Seek medical attention
 - Follow decontamination procedures
-

PART VII: COMPREHENSIVE CHECKLISTS

30-Day Preparedness Challenge

Week 1: Water & Basic Medical

- Day 1:** Store 3 gallons water per person (buy or fill containers)
- Day 2:** Purchase first aid kit or inventory existing
- Day 3:** Add 3 more gallons water per person
- Day 4:** Take CPR/First Aid class (or schedule)
- Day 5:** Add 3 more gallons water per person
- Day 6:** Build Stop The Bleed kit
- Day 7:** Weekend - Research water filters, order if needed

Week 2: Food & Cooking

- Day 8:** Buy 5 lbs rice, 5 lbs beans, 5 lbs pasta
- Day 9:** Purchase manual can opener, stock 10 canned goods
- Day 10:** Buy portable stove + fuel (butane or propane)
- Day 11:** Stock peanut butter, crackers, granola bars
- Day 12:** Add 10 more canned goods, variety
- Day 13:** Buy spices/salt/cooking oil
- Day 14:** Weekend - Practice cooking on emergency stove

Week 3: Light, Heat, Communication

- Day 15:** Purchase LED flashlights (3+), extra batteries
- Day 16:** Buy battery/solar/hand-crank radio (NOAA weather)
- Day 17:** Purchase emergency blankets (mylar, 4+)
- Day 18:** Stock candles, matches, lighters (fire safety!)
- Day 19:** Buy two-way radios or ensure cell phone backup power
- Day 20:** Create emergency contact card for each family member
- Day 21:** Weekend - Test all equipment, family drill

Week 4: Documents, Security, Go-Bags

- Day 22:** Gather critical documents, make copies
- Day 23:** Scan documents, store digitally (encrypted)
- Day 24:** Purchase fireproof/waterproof document storage
- Day 25:** Begin building 72-hour kit (start with bags)
- Day 26:** Add shelter/sleeping items to go-bags

Day 27: Add food/water/first aid to go-bags

Day 28: Add tools/navigation/communication to go-bags

Day 29: Add clothing/personal items to go-bags

Day 30: Weekend - Family evacuation drill, celebrate completion!

Annual Preparedness Maintenance

January:

- ☐ Rotate water storage (use old, refill fresh)
- ☐ Check/rotate medications (check expiration dates)
- ☐ Update emergency contact lists
- ☐ Test smoke/CO detectors

February:

- ☐ Check battery expiration dates
- ☐ Update go-bag clothing sizes (kids grow!)
- ☐ Inventory food supplies, use/rotate

March:

- ☐ Spring storm prep: Check roof/gutters
- ☐ Test generator, change oil if needed
- ☐ Restock first aid supplies used

April:

- ☐ Earthquake drill (Drop, Cover, Hold)
- ☐ Check window security film
- ☐ Practice fire escape plan

May:

- ☐ Hurricane/Wildfire season prep (regional)
- ☐ Check outdoor emergency supplies
- ☐ Service/replace fire extinguisher

June:

- ☐ Summer heat prep
- ☐ Inventory sunscreen, insect repellent
- ☐ Test air conditioning alternatives

July:

- ☐ Mid-year financial review (emergency fund)
- ☐ Update insurance policies

- ☐ Refresh 72-hour kit food/water

August:

- ☐ Back to school: Kids' emergency kits
- ☐ School emergency plans review
- ☐ Practice family reunification plan

September: (National Preparedness Month)

- ☐ Complete full inventory
- ☐ Major restocking month
- ☐ Community/extended family planning
- ☐ Advanced training class

October:

- ☐ Winter weather prep begins
- ☐ Check heating systems/fuel
- ☐ Vehicle winterization

November:

- ☐ Thanksgiving: Family preparedness discussion
- ☐ Restock holiday/party supplies (can serve as barter)
- ☐ Deep freeze food prep

December:

- ☐ Year-end financial review
- ☐ Tax prep document organization
- ☐ Year-in-review: What worked? What to improve?
- ☐ Set next year's preparedness goals

Family Emergency Plan Template

Household Information

Address: _____

Home Phone: _____

Primary Contact (Adult 1): _____

Cell: _____

Email: _____

Secondary Contact (Adult 2): _____

Cell: _____

Email: _____

Children/Dependents

Name	School/Daycare	Cell Phone	Medical Needs

Out-of-State Contact

Name: _____

Relationship: _____

Phone: _____

Email: _____

Address: _____

Everyone calls this person to check in during emergencies

Emergency Meeting Locations

1. Near Home (Immediate):

Address: _____

Phone: _____

2. Outside Neighborhood:

Name: _____

Address: _____

Phone: _____

3. Out-of-Town:

Name: _____

Address: _____

Phone: _____

Medical Information

Family Doctor:

Name: _____

Phone: _____

Hospital Preference:

Name: _____

Address: _____

Phone: _____

Medical Conditions/Allergies:

Current Medications:

Insurance Information:

Provider: _____

Policy #: _____

Group #: _____

Utility Shut-off Locations

Electric:

Location: _____

Tool needed: _____

Gas:

Location: _____

Tool needed: _____

Water Main:

Location: _____

Tool needed: _____

Important Documents Location

Fireproof safe location: _____

Combination/Key location: _____

Digital backup location: _____

Pet Information

Pet Name	Species	Vet Info	Special Needs

Vehicle Information

Vehicle	Year/Make/Model	License Plate	Location of emergency kit

Neighbors

Trusted Neighbor 1:

Name: _____

Phone: _____

Trusted Neighbor 2:

Name: _____

Phone: _____

Workplace/School Contacts

Workplace 1:

Name: _____

Phone: _____

Emergency line: _____

Workplace 2:

Name: _____

Phone: _____

Emergency line: _____

Insurance Policies

Homeowner's/Renter's:

Company: _____

Policy #: _____

Agent: _____

Phone: _____

Auto:

Company: _____

Policy #: _____

Agent: _____

Phone: _____

Life:

Company: _____

Policy #: _____

Agent: _____

Phone: _____

Health:

Company: _____

Policy #: _____

Agent: _____

Phone: _____

Notes

CONCLUSION: YOUR JOURNEY TO RESILIENCE

Preparedness is not about fear—it's about confidence. Each step you take, each skill you learn, each item you store represents insurance against uncertainty. Bad weeks happen to every household. What separates a bad week from a crisis is usually preparation, not luck.

Remember these principles:

1. Start Small, Think Big

You don't need to do everything today. A single case of water and a flashlight is infinitely better than nothing. Build gradually, week by week.

2. Skills Trump Stuff

All the gear in the world won't help if you don't know how to use it. Invest time in training—CPR, first aid, ham radio, gardening. Skills are weightless and always available.

3. Community Multiplies Strength

The lone wolf is a myth. Real resilience comes from relationships, shared resources, and mutual aid. Build your network before you need it.

4. Reality Over Fantasy

Skip the zombie apocalypse scenarios. Focus on the floods, storms, power outages, and job losses that actually happen to real people every day.

5. Adaptability is the Ultimate Skill

Plans fail. Supplies run out. The prepared person isn't the one with the most gear—it's the one who can think clearly, adapt quickly, and help others.

Your 12-Month Roadmap:

Months 1-3: Foundation

- 2-week food and water supply
- Basic first aid kit
- Emergency lighting
- Family communication plan

Months 4-6: Capability

- 30-day food supply
- Comprehensive first aid training
- Alternative cooking methods
- 72-hour go-bags for all family members

Months 7-9: Independence

- Power backup solution (solar/generator)
- Water filtration system
- Long-term food storage (3+ months)
- Emergency fund (\$1,000+ cash)

Months 10-12: Resilience

- Advanced skills (gardening, hunting, repair)
 - Preparedness network established
 - Home security enhancements
 - Regular drills and training
-

Final Resources

Recommended Training:

- CERT (Community Emergency Response Team) - Free, local
- Stop The Bleed - Free, stopthebleed.org
- Red Cross CPR/First Aid - ~\$100
- Ham Radio License - ~\$15 exam fee
- Wilderness First Aid - ~\$300

Recommended Websites:

- Ready.gov - Official US preparedness guidance
- FEMA.gov - Disaster planning and assistance
- RedCross.org - First aid and training
- CDC.gov - Health and pandemic guidance
- NWS.gov - Weather safety

Recommended Books:

- "The Survival Medicine Handbook" by Joseph Alton
- "When Disaster Strikes" by Matthew Stein
- "Deep Survival" by Laurence Gonzales (psychology)
- "Bushcraft 101" by Dave Canterbury (skills)
- "The Encyclopedia of Country Living" by Carla Emery (self-sufficiency)

Remember: The best time to prepare was yesterday. The second best time is today.

Plan first. Practise it once. Then relax.

This guide is for educational purposes. Always follow official guidance during emergencies. Seek professional training for medical and technical skills. Laws vary by jurisdiction—know your local regulations.

Version 2027.1 | Strategic Preppers | strategicpreppers.com